

# DCN-DISVCS Discussion Unit with Voting and Channel Selection

www.boschsecurity.com



**BOSCH**  
Invented for life



- ▶ Low susceptibility to mobile phone interference
- ▶ Compact, attractive and ergonomic design
- ▶ Pluggable microphone
- ▶ Five voting buttons
- ▶ Channel selector with number and abbreviated Channel name

The Discussion Unit with Voting and Channel Selector enables participants to speak, register a request-to-speak, listen to the speaker and vote. A socket is provided to connect the pluggable microphones (DCN-MICS and DCN-MICL, to be ordered separately). The unit has five voting buttons for all types of voting. The yellow indicator rings around the voting buttons are used to prompt users to register their presence, to start voting and to confirm their vote. When the unit's attendance LED is yellow, it indicates the delegate is present.

The unit has a built-in channel selector, which makes it suitable for discussions in which more than one language is used and simultaneous interpretations are available. The channel selector includes up and down channel select keys and a display showing the number and the abbreviation of the languages, enabling rapid selection of the required language channel.

## Functions

- Headphone output level reduction to prevent acoustic feedback. (active when listening to the floor and when the microphone is on)

- The built-in loudspeaker is muted when the microphone is on to prevent acoustic feedback
- A variety of rims (DCN-DISR, to be ordered separately) are available to allow matching to the interior,
- The unit can be used as a delegate unit, as a chairman unit (DCN-DISBCM chairman buttons to be ordered separately) or as a delegate unit with auxiliary button. The versatile auxiliary button can be used as an usher call, for example
- To lock the loop-through cable, a cable clamp is available (DCN-DISCLM, to be ordered separately)
- The unit is available in light and dark colored bases

## Controls and Indicators

- Five voting buttons with indicator rings around the buttons
- Unit activity / delegate presence indicator
- Alphanumeric display for language channel selection with number and abbreviated channel name
- Microphone button with a red, green or yellow illuminated ring. Red indicates microphone is active, green indicates request-to-speak accepted, and yellow indicates 'VIP'.
- VIP indicator is lit when the delegate is part of the notebook (only available if PC Software is used)

- Headphones volume control buttons
- Recessed 'De-init' switch

#### Interconnections

- Socket for pluggable microphone
- Two 3.5 mm (0.14 in) stereo jack type headphone sockets
- 2 m (78.7 in) cable terminated within a molded six-pole circular connector.
- Six-pole circular connector for loop-through connections

#### Certifications and approvals

Region	Certification
Europe	CE

#### Technical specifications

##### Electrical

Frequency response	30 Hz to 20 kHz
Headphone load impedance	> 32 ohm < 1k ohm
Output power	2 x 15 mW/32 ohm

##### Mechanical

Mounting	Tabletop (portable or fixed mounting) and flush mounting
Dimensions (H x W x D)	<b>(without microphone)</b>
Tabletop	61 x 190 x 116 mm (2.4 x 7.5 x 4.6 in)
Flush mounted	6 x 190 x 120 mm (0.2 x 7.5 x 4.7 in)
Weight	800 g (1.76 lb)
Color top	Silver (RAL 9022)
Color base	
DCN-DISVCS-L	Light Grey (RAL 000 7500)
DCN-DISVCS-D	Charcoal (PH 10736)

#### Ordering information

**DCN-DISVCS-L Discussion Voting Channel Selector Light**  
pluggable microphone, light base, microphone and rims to be ordered separately  
Order number **DCN-DISVCS-L**

**DCN-DISVCS-D Discussion Voting Channel Selector Dark**  
pluggable microphone, dark base, microphone and rims to be ordered separately  
Order number **DCN-DISVCS-D**

**DCN-MICS Pluggable Short Microphone**  
length 310 mm (12.2 inch), silver  
Order number **DCN-MICS**

**DCN-MICL Pluggable Long Microphone**  
length 480 mm (18.9 inch), silver  
Order number **DCN-MICL**

**DCN-DISRH-SR Rim High Gloss Silver (10 pcs)**  
silver, high gloss, 10 pieces  
Order number **DCN-DISRH-SR**

**DCN-DISR-SR Rim Silver (10 pcs)**  
silver, 10 pieces  
Order number **DCN-DISR-SR**

**DCN-DISR-D Rim Dark (10 pcs)**  
dark, 10 pieces  
Order number **DCN-DISR-D**

**DCN-DISRMH Rim Metal High Gloss (10 pcs)**  
metal, high gloss, 10 pieces  
Order number **DCN-DISRMH**

**DCN-DISRMS Rim Metal Semi Gloss (10 pcs)**  
metal, semi gloss, 10 pieces  
Order number **DCN-DISRMS**

**DCN-DISBCM Buttons Chairman (10 sets)**  
10 sets  
Order number **DCN-DISBCM**

**DCN-DISBDD Buttons Dual Use (10 sets)**  
10 sets  
Order number **DCN-DISBDD**

**DCN-DISCLM Cable Clamp (25 pcs)**  
25 pieces  
Order number **DCN-DISCLM**

**Represented by:**

**Americas:**

Bosch Security Systems, Inc.  
12000 Portland Avenue South  
Burnsville MN 55337, USA  
Phone: +1-800-392-3497  
Fax: +1-800-955-6831  
audiosupport@us.bosch.com  
www.boschsecurity.com

**Europe, Middle East, Africa:**

Bosch Security Systems B.V.  
P.O. Box 80002  
5617 BA Eindhoven, The Netherlands  
Phone: + 31 40 2577 284  
Fax: +31 40 2577 330  
emea.securitysystems@bosch.com  
www.boschsecurity.com

**Asia-Pacific:**

Robert Bosch (SEA) Pte Ltd, Security  
Systems  
11 Bishan Street 21  
Singapore 573943  
Phone: +65 6571 2808  
Fax: +65 6571 2699  
apr.securitysystems@bosch.com  
www.boschsecurity.asia

**China:**

Bosch (Shanghai) Security Systems Ltd.  
201 Building, No. 333 Fuquan Road  
North IBP  
Changning District, Shanghai  
200335 China  
Phone +86 21 22181111  
Fax: +86 21 22182398  
www.boschsecurity.com.cn

**America Latina:**

Robert Bosch Ltda Security Systems Division  
Via Anhanguera, Km 98  
CEP 13065-900  
Campinas, Sao Paulo, Brazil  
Phone: +55 19 2103 2860  
Fax: +55 19 2103 2862  
al.securitysystems@bosch.com  
www.boschsecurity.com