

DCN-DISS / DCN-DISL Discussion Unit with fixed Microphone

www.boschsecurity.com



BOSCH
Invented for life



- ▶ Low susceptibility to mobile phone interference
- ▶ Compact, attractive and ergonomic design
- ▶ Fixed microphone
- ▶ Built-in loudspeaker
- ▶ Usable as delegate unit or chairman unit

The Discussion Unit with fixed Microphone enables participants to speak, register a request-to-speak and listen to the speaker. The microphone stem is flexible. The unit also accommodates two headphone connections, so the speaker can be heard clearly even in situations with excessive background noise. The built-in loudspeaker is muted when the microphone is on to prevent acoustic feedback. Rims are available in a range of colors to match the interior (DCN-DISR, to be ordered separately).

Functions

- Headphone output level reduction to prevent acoustic feedback (active when listening to the floor and when the microphone is on)
- The unit can be used as a delegate unit or as a chairman unit (DCN-DISBCM chairman buttons to be ordered separately).
- To lock the loop-through cable, a cable clamp is available (DCN-DISCLM, to be ordered separately).
- The unit is available with two different microphone lengths and in light and dark colored bases.

Controls and Indicators

- Microphone with red or green indicator

- Microphone button with a red, green or yellow illuminated ring. Red indicates microphone is active, green indicates request-to-speak accepted, and yellow indicates 'VIP'
- VIP indicator is lit when the delegate is part of the notebook (only available if PC Software is used)
- Headphone volume control buttons
- Recessed 'De-init' switch

Interconnections

- Two 3.5 mm (0.14 in) stereo jack type headphone sockets
- 2 m (78.7 in) cable terminated within a molded six-pole circular connector.
- Six-pole circular connector for loop-through connections

Certifications and approvals

Region	Certification
Europe	CE

Technical specifications

Electrical

Frequency response	30 Hz to 20 kHz
Headphone load impedance	> 32 ohm < 1kohm
Output power	2 x 15 mW/32 ohm

Mechanical

Mounting	Tabletop (portable or fixed mounting) and flush mounting
Dimensions (H x W x D)	(without microphone)
Tabletop	61 x 190 x 116 mm (2.4 x 7.5 x 4.6 in)
Flush mounted	6 x 190 x 120 mm (0.2 x 7.5 x 4.7 in)

Microphone lengths	
DCN-DISS	300 mm (11.8 in)
DCN-DISL	470 mm (18.5 in)

Weight	
DCN-DISS	880 g (1.94 lb)
DCN-DISL	895 g (1.97 lb)

Color top	Silver (RAL 9022)
Color base	
DCN-DISS-L	Light Grey (RAL 000 7500)
DCN-DISS-D	Charcoal (PH 10736)
DCN-DISL-D	Charcoal (PH 10736)

Ordering information

DCN-DISS-L Discussion Short Microphone Light

short microphone, light base
Order number **DCN-DISS-L**

DCN-DISS-D Discussion Short Microphone Dark

short microphone, dark base
Order number **DCN-DISS-D**

DCN-DISL-L Discussion Long Microphone Light

long microphone, light base
Order number **DCN-DISL-L**

DCN-DISL-D Discussion Long Microphone Dark

long microphone, dark base
Order number **DCN-DISL-D**

DCN-DISRH-SR Rim High Gloss Silver (10 pcs)

silver, high gloss, 10 pieces
Order number **DCN-DISRH-SR**

DCN-DISR-SR Rim Silver (10 pcs)

silver, 10 pieces
Order number **DCN-DISR-SR**

DCN-DISR-D Rim Dark (10 pcs)

dark, 10 pieces
Order number **DCN-DISR-D**

DCN-DISRMH Rim Metal High Gloss (10 pcs)

metal, high gloss, 10 pieces
Order number **DCN-DISRMH**

DCN-DISRMS Rim Metal Semi Gloss (10 pcs)

metal, semi gloss, 10 pieces
Order number **DCN-DISRMS**

DCN-DISBCM Buttons Chairman (10 sets)

10 sets
Order number **DCN-DISBCM**

DCN-DISBDD Buttons Dual Use (10 sets)

10 sets
Order number **DCN-DISBDD**

DCN-DISCLM Cable Clamp (25 pcs)

25 pieces
Order number **DCN-DISCLM**

Represented by:

Americas:

Bosch Security Systems, Inc.
12000 Portland Avenue South
Burnsville MN 55337, USA
Phone: +1-800-392-3497
Fax: +1-800-955-6831
audiosupport@us.bosch.com
www.boschsecurity.com

Europe, Middle East, Africa:

Bosch Security Systems B.V.
P.O. Box 80002
5617 BA Eindhoven, The Netherlands
Phone: + 31 40 2577 284
Fax: +31 40 2577 330
emea.securitysystems@bosch.com
www.boschsecurity.com

Asia-Pacific:

Robert Bosch (SEA) Pte Ltd, Security
Systems
11 Bishan Street 21
Singapore 573943
Phone: +65 6571 2808
Fax: +65 6571 2699
apr.securitysystems@bosch.com
www.boschsecurity.asia

China:

Bosch (Shanghai) Security Systems Ltd.
201 Building, No. 333 Fuquan Road
North IBP
Changning District, Shanghai
200335 China
Phone +86 21 22181111
Fax: +86 21 22182398
www.boschsecurity.com.cn

America Latina:

Robert Bosch Ltda Security Systems Division
Via Anhanguera, Km 98
CEP 13065-900
Campinas, Sao Paulo, Brazil
Phone: +55 19 2103 2860
Fax: +55 19 2103 2862
al.securitysystems@bosch.com
www.boschsecurity.com